

Ref. No:ARTC- 84/2024

28/05/2024.

To,
The Deputy Director-General of Forests (C),
Ministry of Environment Forest and Climate Change,
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Lines,
Nagpur- 440001.

Subject: Regarding the Half-Yearly compliance report for the period of Oct-2023 to March -2024

Reference: Environment Clearance obtained from Maharashtra SEIAA-EC-0000002295 dated 3rd July 2020.

Respected sir,

In reference to the above-mentioned subject, we had received Environment Clearance for Establishment of Pilot Plant and R&D Centre in the name of Aarti Industries Limited at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Navi Mumbai, Dist. Thane. The EC was received under the category of Synthetic Organic Chemicals 5(f)(Specialty chemicals, API & its formulation.

We would like to submit to you that currently, the unit has not started project implementation activities (construction activities) which are mentioned in the Environmental Clearance. We would submit the detailed conditions wise EC Compliance report once the started project implementation activities (i.e construction activities).

Thanking You,

Yours faithfully,

For, Aarti Industries Limited,

Authorized Signatory.



29/05/2024

CC:

1. To,
The Regional Officer,
Central Pollution Control Board,
Baner Road, Beside Livewire Baner Institute,
Pune, Maharashtra, 411045.
2. To,
The Regional Officer, Maharashtra Pollution Control Board,
Navi Mumbai, Raigad Bhavan, 7th Floor,
Sector-11, C.B.D Belapur Pin-400614. .

Enclosure:

1. EC Advertisement in English & vernacular [newspapers](#).
2. Acknowledgement copy of EC copy submitted to [Municipal corporation](#).

TIMES *interact*

To book your advertisement, call 9278812222

real estate

FOR SALE

AHMEDNAGAR

6.5 Acres Commercial NA Land full Compound Ahmednagar (MH) Bypass Touch Good For Cold Storage/ shopping complex sale / partnership 9970112865, 9970510905.

PROPERTY ANCILLARIES

FACTORY WORKSHOP & SITES

INDUSTRIAL-LAND 28000 sq m in MIDC, Anand Nagar, Ambarnath suitable for Engg/Chemical projects. For details contact 9819014466

business

INCOME TAX CONSULTANT

INCOME Tax returns services for individuals Contact Shirish 7710944295 Fees Rs 3000 www.shireesholutions.com

tender & notices

TENDERS

Salvage Sale of (A) POY/ Polyester Yarn (about 24 MT) (B) Plant & Machinery (Synthetic Yarn M/c, Compressors, etc) & (C) Sale of Building Scrap (with Building Demolishing)

Separate E-Auction forms are invited for Disposal of FireAffected salvage of (A) Synthetic Yarn / POY (about 24 MT); (B) Plant & Machinery/contents (as per indicative list available) and (C) Building (with demolishing) on "As Is Where Is" basis, belonging to M/s. Mahadev Yarns (P) Ltd., Plot No: 20-25, Survey No: 26, Amod Road, Kharach (Kosamba), Bharuch, Surat, Gujarat. Inspection can be done till: 16/07/2020 Contact: Mr. R K Mundra / Mr. Jitender Singh: Mob: 09374545600 / 07984260044 Date of E auction is 17/07/2020 from 12noon onwards, separately for A, B and C above. E auction Forms with Earnest Money Deposit (EMD) to be submitted latest by 16/07/2020 up to 5 PM at the auctioneer's address OR at seller's address. Bidders can participate in any of (A), (B) and (C) or all of them. E-Auction Portal is www.thesalvagebids.com, visit and register yourself. Forms can be obtained from the details given below: For Inquiries please contact: Mr. Amit Gupta: 91 8510801000, Adama Goel - 91 8199911101, Ashish Pandey - 91 7838759021 The Salvage Bids, 273, Tagore Park, Behind Canara Bank, Near Model Town, Delhi - 110009

IRMRA INVITES ONLINE BIDS FOR

"SUPPLY OF SKID TRAILER FOR WET GRIP MEASUREMENTS OF C1 & C2 TYRES" Project Site : IRMRA, Sricity (A.P.)

For details visit our website <http://irmra.eproc.in>

National Agricultural Cooperative Marketing Federation of India Ltd. (NAFED)

H.O. : NAFED House Sidhartha Enclave, Ashram Chowk, Ring Road, New Delhi-110 014. Phones: EPABX- 26240019 (8 Lines) Website: www.nafed-india.com

NAFED invites applications from millers of groundnut, mustard and different pulses for empanelment for processing and supply to different Government institutions. For detailed terms, conditions and brief business model please visit www.nafed-india.com. For any query, contact General Manager (IS) at 011-26343366.

PUBLIC NOTICE

ENVIRONMENTAL CLEARANCE

All concerns are informed that proposed establishment of expansion project for manufacturing of Synthetic Organic Chemicals, 5(F) (API, Bulk Drug Intermediates & Specialty Chemicals) at Plot No. D-55, 56, 57, 59 & 60 M.I.D.C. phase II Dombivali, Dist.- Thane, by Aarti Industries Limited, for this the State Level Environmental Impact Assessment Committee of the Govt. of Maharashtra has been granted prior environmental clearance on 3rd July 2020 with EC reference No. SEIAA-EC-0000002295. A copy of the EC letter is available on the website of the MPCB & Maharashtra State Environment Department. Website: http://www.ecmpcb.in/login/ granted_ec_certificate

Date: 10/07/2020
Sd
for Aarti Industries Limited
(Mr. Narendra J. Salvi)
Director

Consulate General of India, Dubai
NOTICE
No. DUBAI/CONS/434/MR/20-(47)
Dated: 06/07/2020
Mr. Steevan Clarence Crasta, S/o Paul Crasta resident of 17-13-1380-9, Yamuna Apts, flat no. 303, Kaprigudda, Mangalore City, Pin: 575001, Karnataka, India present address post Box No. 120010, Dubai, UAE and Miss Jessica Avita Jacob Joseph, Daughter of Joseph Jacob Eric resident of 404, 4th floor Orchid A-wing Evershine Park Prathmesh Complex, Veera Desai rd, Andheri - W Mumbai-58 present address Post Box No. 120010, Dubai, UAE. The above mentioned Indian Nationals are presently residing in UAE have given notice of intended marriage between them under the foreign marriage act, 1969. If any one has any objection to the proposed marriage he / she should file the same with the undersigned according to the procedure laid down under the act/ rules within thirty days from the date of publication of this notice. (Jitender Singh Negi) Marriage Officer & Consul (Consular & Labour) Consulate General of India P.O. Box 737, Dubai (UAE) Fax No. 009714-3970453 Email: cons1.dubai@mea.gov.in, cons3.dubai@mea.gov.in Homepage: www.cgidubai.gov.in

ENVIRONMENTAL CLEARANCE

All concerns are informed that proposed establishment of R&D & Pilot Plant for Synthetic Organic Chemicals, API & its formulation) Expansion project at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Navi Mumbai, District Thane by Aarti Industries Limited for this the State level Environmental Impact Assessment Committee of the Govt. of Maharashtra has been granted prior environmental clearance on 3rd July 2020 with EC reference No. SEIAA-EC-0000002295. A copy of the EC letter is available on the website of the MPCB & Maharashtra State Environment Department.

Website: http://www.ecmpcb.in/login/ granted_ec_certificate
Date: -10/07/2020
Sd
For Aarti Industries Limited
(Mr Renil R. Gogri)
Director

THE TIMES GROUP

Readers are recommended to make appropriate enquires and seek appropriate advice before sending money, incurring any expenses, acting on medical recommendations or entering into any commitment in relation to any advertisement published in this publication. The Times Of India Group doesn't vouch for any claims made by the Advertisers of products and services. The Printer, Publisher, Editor, and Owners of The Times Of India Group publications shall not be held liable for any consequences, in the event such claims are not honoured by the Advertisers.

Book your Newspaper Ads

in just 3 easy steps

log on to

www.ads2book.com

from your

Desktop or Mobile

For booking assistance or any query

Email: tcteam@timesgroup.com

Notice

No. DUBAI/CONS/434/MR/20-(46)
Dated: 05/07/2020
Mr. Lovish Bhagchandani
S/o Brijlal Vasudev Bhagchandani
Resident of B-6 Ashwad apartment,
Bhimjipura New Wadaj Ahmedabad
Gujarat
Present address PO Box no 47256
Flat no 205 Israr bldg, old Pakistani
consulate BUR Dubai, Dubai UAE
And Miss. Nikita Daughter of
Ramesh Gopal Devadiga Resident of
St Aloysius college ladies hostel
PB 720 Kodialbail Karangalpadai,
Mangalore city, Pin 575003,
Karnataka, India
Present address flat no 101, Ajdan
Bldg, BUR Dubai Dubai, Above
mentioned Indian nationals are
presently residing in the UAE have
given notice of intended marriage
between them under the foreign
marriages act, 1969. If anyone has
any objection to the proposed
marriage he/she should file the
same with the undersigned
according to the procedure laid
down under the act/rules within
thirty days from the date of
publication of this notice.

(Jitender Singh Negi)
Marriage Officer & Consul
(consular & Labour)
Consulate General of India
P.O. BOX: 737, DUBAI (UAE)
FAX NO. 0097143970453
Email: cons1.dubai@mea.gov.in,
cons3.dubai@mea.gov.in
Homepage: www.cgidubai.gov.in

To
advertise
in
this
section
call

JITESH
9867407521

PUBLIC NOTICE

NOTICE is hereby given to the public at large that we are investigating the title of Drishti Hospitality Company Private Limited a private limited company incorporated under the provisions Companies Act 2013 having its registered office at Top Floor Drishti House, 15 Mathew Road, Opera House, Mumbai 400004 ("Company"), to the Land and Building more particularly described in the Schedule hereunder written subject to the rights of the tenants / unit owners in the Building.

All persons having any claim/right/title or interest, in respect of the Land and Building or part thereof, by way of inheritance, mortgage, sale, agreement for sale, transfer, assignment, lease, sub-lease, license, sub-license, lien, charge, trust, easement, gift, acquisition, requisition, any encumbrance or beneficial right / interest under any trust, right of prescription or pre-emption or under any agreement or other disposition or under any suit, decree, injunction order or attachment or award passed by any Court or Authority litigation, lis-pendens, decree or order of any adjudicating authority, exchange, partition, power of attorney, will, bequest, FSI, tenancy, development rights, family arrangement / settlement, possession, allotment or otherwise whatsoever ("Claim") are hereby requested to make the same known in writing along with complete documentary proof to the undersigned at Khaitan & Co, Advocates at One Indiabulls Centre, Tower-1, 13th floor, Senapati Bapat Marg, Elphinstone Road, Mumbai 400 013 and by email addressed to harsh.parikh@khaitanco.com and abhiraj.gandhi@khaitanco.com within a period of 14 (Fourteen) days from the date of publication hereof, failing which, it shall be presumed that no such Claims exists or that they have been waived or

84-yr-old accused of rape, SC calls for DNA test

Dhananjay.Mahapatra
@timesgroup.com

New Delhi: The Supreme Court on Thursday ordered a DNA test on an 84-year-old retired Army man and a four-day-old baby to determine whether he fathered the child through sexual exploitation of a 14-year-old girl in Siliguri.

It was the octogenarian,

The man said he was sterile and diabetic, making it impossible for him to impregnate a 14-year-old girl

accused under the Protection of Children from Sexual Offences (Pocso) Act, who moved the SC demanding a DNA test. He was arrested on May 11,

when the girl's father lodged a police complaint claiming she was pregnant because of sexual exploitation.

Appearing for the accused, advocate Kapil Sibal told the bench that there was a tenant-landlord dispute as the girl's father was not paying rent. The 84-year-old said he was sexually sterile and a diabetic, making it impossible for him

to impregnate a woman.

The police said the accused was examined by a doctor, who had said, "I am of the opinion that there is nothing to suggest that the person is incapable of performing sexual intercourse." However, the medical advice was to conduct a DNA test to confirm paternity.

Full report on www.toi.in

TIMES TRIBUTE

REMEMBRANCES



1st Death Anniversary

Mrs Rathi Ramchandran
(Retd.) Professor of Chemistry, SIES College

Lovingly remembered
Everyday by:
Rema Menon (Mother)
Ramchandran (Husband)
Sandeep, Jaideep (Sons)
Girish, Bhadra, Maya & Family & Friends

SAD DEMISE



SMT. SAROJINI GAJANAN WANDREKAR

(09/12/1935 - 07/07/2020)

has left for heavenly abode on
Tuesday, 07/07/2020

Deeply missed by
Wandrekar family

SAD DEMISE



MOHSIN CHARANIA

(20.11.1960-08.07.2020)

Cargo Manager - Hermes Travel & Cargo Pvt. Ltd.

With profound grief we regret to inform you the Sad Demise of our beloved Mohsin.

CHARANIA FAMILY
HERMES GROUP OF CO.

First Death Anniversary




Fr. Augustine Silveira S.J.

Mass at St. Peter's Church, Bandra, Streamed live on Saturday 11th July 2020 at 6:45 pm.

s/o late Durante/late Maria Apollonia (Beatrice), b/o Hercules/Anne, Rosie/late Vincent, late Caesar/late Evelyn, Marina/Tony

SAD DEMISE



DEEPAK UTTAMCHAND SABHAGCHANDANI

He left for his heavenly abode on 7/7/2020.

Pagdi (Marka)

Condolence's meeting will be held on Friday

OBITUARY



G. H. (Gul) Makhija

passed away peacefully in Bangalore on 7-7-2020. A most loving and dear soul fondly remembered by everyone he touched.

Your celebration of his life and including him in your prayers would honour his memory.

Vinita (Maya), Munesh, Anita (Anu), Annika & Aria Makhija.

TO PLACE AN ANNOUNCEMENT IN THIS SECTION

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

CALL: 9867505472

SC slams Maha over 'ignorance' of migrants' pain

Dhananjay.Mahapatra@timesgroup.com

New Delhi: The Supreme Court pulled up Maharashtra on Thursday for filing an affidavit full of monotonous "not to its knowledge" responses to allegations by NGOs that migrant workers were still waiting to go back home and there were instances of workers living in penury during the lockdown.

On Thursday, solicitor general Tushar Mehta, who appeared for the Maharashtra government said that 3.55 lakh migrant workers had returned to the state. But the bench was annoyed by the repeated feigning of ignorance by the state in responding to the allegations. "You are the state government. It is your duty to find out the details and apprise the court about it. It is unacceptable that the government is unaware of the situation in the state. This is not an adversarial issue that the state will contest everything that is said about the prevailing situation," it said.

As Mehta accepted that the state's affidavit could have been better worded, the bench said, "We cannot accept Maharashtra's affidavit that there is no shortage of food, water or amenities for migrant workers stranded in the state." The SG general said the broad picture emerging from the ground was that migrants workers were returning to their workplaces as they were unable to find work commensurate to their skill in their home states. "It is a happy turnaround," he added.

Indian airlines cut capacity by 50% as demand crashes

Manju.V@timesgroup.com

Mumbai: The demand for air travel in India has apparently crashed in the past few days, due to which the airlines have cut capacity by 50%. Only 1.3 million airline seats are on offer on scheduled flights this week, compared to the 2.6 million seats offered last week, according to data released by UK-based global travel data provider OAG on Wednesday.

In Loving Memory of



Birth: 05-09-1945

Heavenly Abode: 10-05-2020

म. टा. विशेष प्रतिनिधी, मुंबई

राज्याच्या अर्थचक्राला गती देण्यासाठी लॉकडाउनच्या नियमांमध्ये राज्य सरकारने मोठ्या प्रमाणावर शिथिलता आणली आहे. साहजिकच यामुळे सर्वसामान्यांचे बऱ्यापैकी दैनंदिन व्यवहार सुरू झाले असून, सर्वसामान्यांची सरकार दरबाराची कामे अडू नयेत यासाठी राज्य सरकारी कर्मचाऱ्यांची उपस्थिती वाढवण्यात येत आहे. सध्या मंत्रालयात सरकारी कार्यालयांमध्ये असलेली १५ टक्के कर्मचाऱ्यांची उपस्थिती वाढवून लवकरच ती ३० ते ३५ टक्क्यांपर्यंत नेण्यात येणार असल्याचे खात्रिलायक सूत्रांकडून कळते.

करोना आणि लॉकडाउनमुळे राज्य

सरकारी कर्मचाऱ्यांची उपस्थिती आता ३५ टक्के?

सर्वसामान्यांची कामे अडू नयेत यासाठी निर्णय



सरकारने सरकारी कार्यालयातील कर्मचाऱ्यांच्या उपस्थितीवर बरीच मर्यादा घातली होती. लॉकडाउन जाहीर झाला,

तेव्हा ही उपस्थिती पाच टक्के एवढी कमी करण्यात आली होती. त्यानंतर सरकारने अनलॉक आणि मिशन बिगेन अग्रेन जाहीर केल्यावर सरकारी कार्यालयातील उपस्थिती १५ टक्के करण्यात आली. त्यानंतर अर्थचक्राला गती देत सरकारने लॉकडाउनच्या नियमांमध्ये बऱ्यापैकी शिथिलता आणली आहे. प्रवासी वाहतुकीवरील बंधनेही बऱ्यापैकी उठविण्यात आली

आहे. अजूनही सर्वसामान्यांसाठी रेल्वे सुरू करण्यात आल्या नसल्या तरी खासगी वाहतुकीवर फारशी बंधने नाहीत. त्यामुळे सर्वसामान्यांचा दैनंदिन कामानिमित्त प्रवास होऊ लागला आहे.

कामानिमित्त बाहेर पडणारे सर्वसामान्ये सरकारी कामानिमित्त विविध सरकारी कार्यालयात फेऱ्या मारू लागले आहेत. अशावेळी कमी कर्मचाऱ्यांच्या अभावी या कामांना अडथळा येऊ नये यासाठी सरकारने कार्यालयातील उपस्थिती वाढवून ती ३० ते ३५ टक्क्यांपर्यंत नेण्याबाबत विचार सुरू केला आहे. बुधवारी मंत्रिमंडळाच्या बैठकीत यावर सविस्तर चर्चा झाली असून, लवकरच हा निर्णय अंमलात येणार असल्याचे कळते.

TIMES interact To book your advertisement, call 9278812222

टॅडर्स आणि नोटिसेस

टॅडर्स

IRMRA INVITES ONLINE BIDS FOR

"SUPPLY OF SKID TRAILER FOR WET GRIP MEASUREMENTS OF C1 & C2 TYRES"

Project Site : IRMRA, Sricity (A.P.)

For details visit our website <http://irmra.eproc.in>

सार्वजनिक नोटीस

जाहीर सूचना

याद्वारे सर्व जनतेस सूचित केले जात आहे कि या दस्तावेजामध्ये खाली लिहिलेल्या अनुसूचिमध्ये विशेष वर्णन केलेल्या जमीन व इमारतीशी संबंधित इमारतीतील भाडेकरू/युनिट मालकांच्या अधिकारांच्या अधीन आम्ही श्री श्री होस्पिटॅलिटी कंपनी प्राइवेट लिमिटेडच्या मालकीहक्कांचा तपास करित आहोत, जी कंपनी अधिनियम, २०१३ च्या तरतुदीतर्गत एक प्राइवेट लिमिटेड कंपनी आहे ("कंपनी") जिच्या नोंदणीकृत कार्यालयाचा पत्ता टॉप फ्लोर श्री श्री हाऊस, १५ मॅथ्यू रोड, ऑपेरा हाऊस, मुंबई ४००००४ येथे आहे.

सर्व व्यक्तींना याद्वारे विनंती करण्यात येते कि जर कोणताही न्यास, वहिवाट अधिकार किंवा पूर्व-अधिकार किंवा कोणत्याही प्रकार किंवा कोणताही खटला, हुकूमनामा, कोणत्याही न्यायालयाद्वारे किंवा प्राधिकरणाच्या खटल्याद्वारे पारित केलेला मनाई हुकूम किंवा जपती किंवा निवाडा,

सीलबंद दारूविक्रीस मुदतवाढ

मुंबई : राज्यात घाऊक विक्रेत्यांकडून नवीन दारूसाठा खरेदी करून सीलबंद बाटलीमध्ये विकण्याच्या परवानगीस महाविकास आघाडी सरकारने गुरुवारी मुदतवाढ दिली. यामुळे सुमारे १५ हजार २०० परवानाधारक दारूविक्रेते आणि त्यांच्यावर अवलंबून असणाऱ्या सुमारे एक लाख मनुष्यबळाला दिलासा मिळाला आहे.

परवानाधारकांना २४ मार्चअखेरपर्यंत असलेला दारूसाठा संपेपर्यंत सीलबंद बाटलीमध्ये दारू विकण्याची परवानगी १९ मे रोजी देण्यात आली होती. मात्र बहुतांश परवानाधारकांकडे दारूसाठा संपत आला होता. परिणामी सदर उद्योगक्षेत्रे व त्यावर अवलंबित रोजगाराचा प्रश्न निर्माण झाला होता. त्यामुळे घाऊक विक्रेत्यांकडून नवीन दारूसाठा खरेदी करून सीलबंद बाटलीमध्ये विकण्याची परवानगी देण्यात आली आहे. दारूविक्रीवेळी करोनाचा प्रादुर्भाव रोखण्यासाठी यापूर्वी लावलेल्या सर्व अटी व शर्ती यापुढेही कायम राहतील, असे राज्य उत्पादन शुल्क विभागाने स्पष्ट केले आहे.

म्हणे, उरले ३७ खडे!

पालिकेचा अजब दावा; १ जूनपासून १४६ तक्रारी आल्याची माहिती

म. टा. विशेष प्रतिनिधी, मुंबई



मुलुंड टोलनाक्याजवळ पडलेला भलामोठा खड्डा.

मागील काही दिवसांपासून कोसळत असलेल्या मुसळधार पावसाने रस्त्यांची चाळण केली आहे. त्यामुळे मुंबईच्या विविध भागांत खड्ड्यांचे साम्राज्य पसरण्यास सुरुवात झाली आहे. यंदाच्या १ जूनपासून आजतागायत खड्ड्यांच्या १४६ तक्रारी प्राप्त झाल्या आहेत. यापैकी १०९ खड्डे बुजविण्यात आले, तर उर्वरित ३७ बुजविण्याचे काम सध्या प्रगतीपथावर आहे, अशी माहिती पालिकेच्या वतीने देण्यात आली आहे.

४८ तासांत खड्डे बुजवणे बंधनकारक

रस्त्यांवरील खड्ड्यांच्या तक्रारीसाठी पालिकेने पारंपरिक पद्धतीने लेखी तक्रार करण्यासह अत्याधुनिक तंत्रज्ञानाचा वापर करून तक्रार करण्याची सुविधा नागरिकांना उपलब्ध करून दिली आहे. या पर्यायाचा वापर करून तक्रार केल्यानंतर ४८ तासांच्या आत संबंधित अभियंता व कंत्राटदाराने खड्डा न बुजवल्यास दंडआकारणी केली जात असल्याचे पालिकेने स्पष्ट केले आहे.

नकाशासह अपलोड होतो. त्यामुळे रस्त्यावर नक्की कोणत्या ठिकाणी खड्डा आहे याची माहिती उपलब्ध होऊन खड्डे भरण्याची कार्यवाही अधिकाधिक लवकर करणे शक्य होते. या अॅपमध्ये एकदा तक्रार दाखल केल्यानंतर तक्रारदारास तक्रार क्रमांक प्राप्त होतो. या तक्रार क्रमांकाच्या आधारे शोधल्यास खड्ड्यांच्या सद्यस्थितीची माहिती तक्रारदारास लगेच दिसू शकते. खड्डा बुजवल्यानंतर त्या ठिकाणचे छायाचित्र अपडेट केले जाते.

पालिकेच्या portal.mcgm.gov.in या संकेतस्थळावरदेखील तक्रार नोंदविता येऊ शकते. संकेतस्थळावर गेल्यानंतर आडव्या मेनूमध्ये 'तक्रार' असा पर्याय मराठीमध्ये, तर इंग्रजीमध्ये 'Complaint' हा पर्याय उपलब्ध आहे. या पर्यायावर क्लिक केल्यानंतर उघडणाऱ्या ड्रॉप-डाऊन मेनूमधील

मुंबईतील विविध प्राधिकरणे

- महापालिका, एमएमआरडीए, म्हाडा, मुंबई पोर्ट ट्रस्ट, विमानतळ प्राधिकरण
- 'एमएमआरडीए'च्या हद्दीत
- पश्चिम द्रुतगती महामार्ग २५.३३ किमी
- पूर्व द्रुतगती महामार्ग २५.५५ किमी
- येथेही करा तक्रार
- हेलपलाइन : १९१६
- टोल फ्री १८००-२२-१२-९३
- ट्विटर @mybmc

योग्य पर्याय निवडून 'तक्रारनोंदणी' करता येऊ शकते. खड्डेविषयक तक्रारी व सूचनांसाठी www.mybmcpotholefixit.com हे एक स्वतंत्र संकेतस्थळदेखील पालिकेने सुरू केले आहे. या संकेतस्थळावर जीपीएस तंत्रज्ञानाच्या सहाय्याने नकाशा आधारित तक्रार करता येऊ शकते. सिम्बियन, अॅण्ड्रॉइड, आयओएस अशा तिन्ही प्रकारच्या ऑपरेटिंग सिस्टीम असणाऱ्या मोबाइलवर हे संकेतस्थळ खुले होऊ शकते. ज्या मोबाइलवर अॅण्ड्रॉइड अॅप इन्स्टॉल होऊ शकत नाही, त्या मोबाइलधारकांसाठी हा पर्याय उपयोगी आहे.

पाहणीविना झाडे कत्तलीचे प्रस्ताव ...म्हणून 'स्थायी'ची बैठक नाही!

म. टा. विशेष प्रतिनिधी, मुंबई

वृक्ष प्राधिकरणातील धक्कादायक प्रकार; भाजपचा विरोध

हे आहेत प्रस्ताव...

- जोगेश्वरी ते राम मंदिर प्रस्तावित रेल्वे पूल : १६
- अंधेरी रेल्वे स्थानक ते आंबोली पूल : ३६
- खार पूर्व ते सांताक्रुझ पूर्व रेल्वेचा सहावा मार्ग : ३७

नगरसेवक व अधिकाऱ्यांनी झाडे असलेल्या ठिकाणी भेट देऊन पाहणी करण्याआधीच ८९ झाडांची कत्तल करण्याचे तीन प्रस्ताव वृक्ष प्राधिकरणात बैठकीत मांडण्यात आल्याचा धक्कादायक प्रकार उघडकीस आला आहे. लॉकडाउनमुळे मार्चपासून वृक्ष प्राधिकरणाची बैठक न झाल्याने मागील तीन महिन्यांतील तब्बल ७६३ झाडे कापण्याचे एकत्रित १३ प्रस्ताव प्राधिकरणाच्या बैठकीत मांडण्यात आले आहेत.

पालिका, रेल्वे आणि खासगी बिल्डरांचे प्रकल्प यासाठी झाडे कापण्याचे हे प्रस्ताव आहेत. मंगळवारी व्हिडीओ कॉन्फरन्सिंगद्वारे वृक्ष प्राधिकरणाची बैठक होणार होती. मात्र ती अचानक रद्द करण्यात आली. त्यामुळे आता पुढील बैठकीत हे प्रस्ताव येणार आहेत. या बैठकीत मांडण्यात आलेले विषय क्रमांक १, २ आणि ५ या प्रस्तावांतील तब्बल ८९ झाडे कापली जाणार आहेत.

पालिका, रेल्वे आणि खासगी बिल्डरांचे प्रकल्प यासाठी झाडे कापण्याचे हे प्रस्ताव आहेत. मंगळवारी व्हिडीओ कॉन्फरन्सिंगद्वारे वृक्ष प्राधिकरणाची बैठक होणार होती. मात्र ती अचानक रद्द करण्यात आली. त्यामुळे आता पुढील बैठकीत हे प्रस्ताव येणार आहेत. या बैठकीत मांडण्यात आलेले विषय क्रमांक १, २ आणि ५ या प्रस्तावांतील तब्बल ८९ झाडे कापली जाणार आहेत.

म. टा. विशेष प्रतिनिधी, मुंबई

भ्रष्टाचार दडपण्याचा पालिकेचा प्रयत्न असल्याचा आरोप



कंत्राटदारांकडून अंदाजित दर मागवून पालिका अधिकाऱ्यांनी मोठ्या प्रमाणात भ्रष्टाचार सुरू केला असून, तो दडपण्यासाठी पालिका सभागृह व स्थायी समितीची बैठक आयोजित केली जात नसल्याचा आरोप पालिकेतील भाजप, काँग्रेस, राष्ट्रवादी आणि समाजवादी पक्षांने केला आहे.

लॉकडाउनमुळे मागील तीन महिन्यांत स्थायी समितीची बैठक आयोजित करण्यात आलेली नाही. एप्रिलमध्ये एकदा बैठक बोलावण्यात आली होती. मात्र यादरम्यान पालिका मुख्यालयात काही करोनारुग्ण आढळल्याने ती पदे

आले आहेत, अशी माहिती भाजपचे गटनेते प्रभाकर शिंदे यांनी दिली. पालिका आयुक्त स्वतः वृक्ष प्राधिकरणाचे अध्यक्ष आहेत. त्यांच्यासमोर प्रशासनाकडूनच पाहणी न करता झाडे कापण्याचे बेकायदा प्रस्ताव मांडले जात आहेत. ही धक्कादायक असून झाडांच्या या कत्तलीला भाजप विरोध करणार असल्याची झाडे कापण्याआधी प्राधिकरण सदस्य असलेले



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: July 3, 2020

To,
Aarti Industries Limited
at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Thane

Subject: Environment Clearance for Establishment of Pilot Plant and R&D for Synthetic Organic Chemicals 5(f) (Specialty chemicals, API & its formulation) by Aarti Industries Limited at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Navi Mumbai, Dist. Thane

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 183rd - Day-1st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 198th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)- B, Synthetic organic chemical manufacturing facility as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Establishment of Pilot Plant and R&D for Synthetic Organic Chemicals 5(f) (Specialty chemicals, API & its formulation) by Aarti Industries Limited at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Navi Mumbai, Dist. Thane
2.Type of institution	Private
3.Name of Project Proponent	Aarti Industries Limited
4.Name of Consultant	Aditya Environmental Services Pvt Ltd
5.Type of project	Industrial Project, Category 5 (f)- B as per EIA notification 2006
6.New project/expansion in existing project/modernization/diversification in existing project	New Project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Thane
9.Taluka	Thane
10.Village	Kopar khairane
Correspondence Name:	Premnath R
Room Number:	--
Floor:	--
Building Name:	--
Road/Street Name:	--
Locality:	--
City:	--
11.Whether in Corporation / Municipal / other area	Khairane MIDC, TTC Industrial area

SEIAA Meeting No: 198 Meeting Date: May 27, 2020 (SEIAA-STATEMENT-000002831)
SEIAA-MINUTES-0000003217
SEIAA-EC-0000002295

Page 1 of 12


Shri. Anil Diggikar (Member Secretary SEIAA)

12.IOD/IOA/Concession/Plan Approval Number	Plot allotment from MIDC
	IOD/IOA/Concession/Plan Approval Number: Plot allotment from MIDC
	Approved Built-up Area:
13.Note on the initiated work (If applicable)	Not applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Plot allotment from MIDC
15.Total Plot Area (sq. m.)	6576 sq. m.
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 1362.84
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): 1.5
	Approved Non FSI area (sq. m.): Not applicable
	Date of Approval: 13-05-2020
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	303000000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Pilot Plant and R&D for synthetic organic chemicals (e.g. Specialty chemicals API and its formulations)	0	5	5

23. Total Water Requirement

Dry season:	Source of water	MIDC
	Fresh water (CMD):	95.4 cmd
	Recycled water - Flushing (CMD):	22.6 (Recycle for utilities)
	Recycled water - Gardening (CMD):	15 cmd
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	118 cmd
	Fire fighting - Underground water tank(CMD):	150 KL
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	0	20	20	0	5	5	0	15	15
Industrial Process	0	15	15	0	2	2	0	13	13
Cooling tower & thermopack	0	72	72	0	62	62	0	10	10
Gardening	0	11	11	0	11	11	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	2 to 5 m bgl and 5 to 10 mbgl
	Size and no of RWH tank(s) and Quantity:	1 no. of 20m ³ capacity RWH tanks
	Location of the RWH tank(s):	on plot 94/1/1
	Quantity of recharge pits:	Not applicable
	Size of recharge pits :	Not applicable
	Budgetary allocation (Capital cost) :	Rs. 10 Lakhs
	Budgetary allocation (O & M cost) :	Rs. 1 Lakhs
	Details of UGT tanks if any :	1 no. of 20m ³ capacity RWH tanks

26.Storm water drainage	Natural water drainage pattern:	Towards MIDC road (front side)
	Quantity of storm water:	250 lit/sec
	Size of SWD:	600 mm x 800 mm

27.Sewage and Waste water	Sewage generation in KLD:	15 cmd
	STP technology:	Biological STP
	Capacity of STP (CMD):	15 cmd
	Location & area of the STP:	within plot
	Budgetary allocation (Capital cost):	Rs. 10 Lakhs
	Budgetary allocation (O & M cost):	Rs. 1 Lakhs

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Minor quantity of debris/ Demolition waste
	Disposal of the construction waste debris:	Debris/ Demolition waste will be reused for leveling of plot
Waste generation in the operation Phase:	Dry waste:	Glass waste- 0.5 TPM, Paper Waste- 0.05 TPM, Cotton waste- 0.05 TPM, E-waste- 2 TPM
	Wet waste:	--
	Hazardous waste:	ETP Waste, Process residue & waste Residue, 30% HCl, Used oil, Spent Carbon and filter medium, Spent Acid, CaCl ₂ Solution, Empty barrels/ Carboys/ containers / Empty glass bottles/ liners contaminated with hazardous chemicals / waste, Spent Catalyst, Spent Solvent, Inorganic Salt, Off specification products
	Biomedical waste (If applicable):	--
	STP Sludge (Dry sludge):	Yes.
	Others if any:	--
Mode of Disposal of waste:	Dry waste:	Sale to MoEFCC/ SPCB authorized recyclers / party
	Wet waste:	--
	Hazardous waste:	CHWTSDF/ Sale to authorized Re processor
	Biomedical waste (If applicable):	--
	STP Sludge (Dry sludge):	Will be used onsite as manure
	Others if any:	--
Area requirement:	Location(s):	Within plot
	Area for the storage of waste & other material:	near ETP area
	Area for machinery:	Not applicable
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 10 Lakh
	O & M cost:	Rs. 10 Lakhs per annum

Government of
Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	5.5- 9	6.5 to 9	6.5 to 9
2	Oil and grease	mg/lit	15	< 10	< 10
3	BOD	mg/lit	1000	< 100	< 100
4	TSS	mg/lit	300	< 100	< 100
5	COD	mg/lit	2500	< 250	< 250
6	TDS	mg/lit	4000	< 2100	< 2100
Amount of effluent generation (CMD):		23 cmd			
Capacity of the ETP:		20 KLD ETP, 5 KLD MEE/ATFD, 2 nos RO (20 KL & 15 KL)			
Amount of treated effluent recycled :		22.6 cmd			
Amount of water send to the CETP:		Nil. Unit will be Zero Liquid discharge facility.			
Membership of CETP (if require):		--			
Note on ETP technology to be used		Low COD & TDS effluent to ETP comprising of Primary, secondary and tertiary treatment. High COD & TDS effluent to RO, MEE & ATFD.			
Disposal of the ETP sludge		ETP sludge will be sent to CHWTSDF for disposal.			



**Government of
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	ETP sludge, MEE salts	35.3	TPM	--	13	13	CHWTSDF
2	Process residue & waste	28.1	TPM	--	1	1	CHWTSDF
3	Residue	28.1	TPM	--	1	1	CHWTSDF
4	30% HCl	26.3	TPM	--	1.5	1.5	Authorised reprocessor/recycler
5	Used oil	5.1	TPM	--	1	1	Authorised reprocessor/recycler
6	Spent Carbon and filter medium	36.2	TPM	--	1	1	CHWTSDF
7	Spent Acid	26.3	TPM	--	2	2	Authorised reprocessor/recycler
8	CaCl ₂ Solution	--	TPM	--	1	1	Authorised reprocessor/recycler
9	Empty barrels/ Carboys/ containers /Empty glass bottles / liners contaminated with hazardous chemicals/ waste	33.1	Nos/ month	--	1000	1000	Authorised reprocessor/recycler
10	Spent Catalyst	26.5	TPM	--	0.5	0.5	Authorised reprocessor/recycler
11	Spent Solvent	20.2	TPM	--	1	1	CHWTSDF/Authorized reprocessor
12	Inorganic Salt	B15	TPM	--	1	1	CHWTSDF
13	Off specification products	28.4	TPM	--	1	1	CHWTSDF

31.Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Boiler (2 TPH steam)	Natural Gas: 3400 Nm ³ /day Or Furnace oil: 3200 Kg/day with scrubber (In case of unavailability of NG)	1	30	0.45	150
2	DG set (750 KVA)	HSD- 225 Lit/Hr	2	5.5 above roof	0.2	150
3	DG set (750 KVA)	HSD- 225 Lit/Hr	3	5.5 above roof	0.2	150
4	Acidic gases vent	--	4	11	As per std	As per std
5	Alkaline gases vent	--	5	11	As per std	As per std

32.Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Natural gas	--	3400 Nm ³ / Day	3400 Nm ³ / Day
2	Furnace oil	--	3200 kg/ day	3200 kg/ day

3	HSD	--	450 Lit/ Hr	450 Lit/ Hr
33.Source of Fuel		From nearby source		
34.Mode of Transportation of fuel to site		By road		

35.Energy

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	2000 KVA
	DG set as Power back-up during construction phase	2 DG sets (750 KVA each)
	During Operation phase (Connected load):	2000 KVA (proposed)
	During Operation phase (Demand load):	2000 KVA
	Transformer:	Not applicable
	DG set as Power back-up during operation phase:	2 DG sets of 750 KVA each
	Fuel used:	HSD for DG sets
	Details of high tension line passing through the plot if any:	Not applicable

Energy saving by non-conventional method:

Solar panel installation: 50 KW capacity

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Not applicable	Not applicable

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air emissions	--	Stack height, Scrubber for boiler in case of use of Furnace oil, Scrubbers for process emissions
Effluent generation	--	ETP, RO, MEE & ATFD, STP
Hazardous waste	--	CHWTSDF, Authorized reproprocessors

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	EMP budget capital cost: 457 lakhs
	O & M cost:	EMP budget O&M cost: 122 lakhs per annum

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	--	--	--

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Pollution Control	From Utilities, Process and DG set	12	12
2	Environmental Monitoring	Environmental Monitoring	0	10
3	Water Pollution Control	ETP, RO, MEE & ATFD, STP	250	50
4	Hazardous Waste and Solid waste management	Storage and Disposal of Hazardous waste and Non hazardous waste	10	10
5	Green Belt Development	Development and Maintenance of Green Belt	20	12
6	Occupational Health and Safety	PPE, Safety Tanning	128	25
7	Green initiative	Solar panel installation	27	2
8	Green initiative	Rain water harvesting	10	1

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Furnace oil	proposed	Within plot	5	3	96	Local	By road

40.Any Other Information

No Information Available

	CRZ/ RRZ clearance obtain, if any:	Not applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not applicable
	Category as per schedule of EIA Notification sheet	5 (f)- B, Synthetic organic chemical manufacturing facility
	Court cases pending if any	Not applicable
	Other Relevant Informations	Not applicable
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	05-02-2019

3. The proposal has been considered by SEIAA in its 198th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to implement the Guidelines for restoration of manufacturing industries after lockdown period issued by Ministry of Home Affairs, National Disaster Management Authority on 09.05.2020.
II	PP to provide adequate capacity scrubbers to the process vents to mitigate air pollution.
III	PP to obtain CHWTSDF permission before commissioning of the project.
IV	PP to provide Continuous Emission Monitoring System (CEMS) for monitoring of air emissions and connect the same to the MPCB and CPCB servers.
V	PP to provide sewage treatment plant for the treatment of domestic sewage generated on site.
VI	PP to implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.
VII	PP has submitted the plan layout to MIDC, if there is any change plan layout PP have to take revised EC.
VIII	PP to submit MIDC Approval.
IX	PP to ensure that CER plan gets approved from District Collector.
X	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.

IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER THANE
10. REGIONAL OFFICE MPCB THANE
11. REGIONAL OFFICE MIDC AMBERNATH
12. REGIONAL OFFICE MIDC THANE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE THANE